

Certificates for Daniel Pereyra

Basic Information

First Name	Daniel
Last Name	Pereyra
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 27 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2019-02-21	Expired	Dave Franceschelli	(No lab)	SIAD does not allow a 2-year cert to expire on 02/21/2019, reset the date on 02/21/2016 for a 3-year duration expiring on the correct date.
CT 125 ADMIX Sampling - ADMIXTURE	2019-08-01	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-07-29	Expired	Majid Fahrtoosh	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-08-01	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2019-08-01	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-08-01	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-07-29	Expired	Majid Fahrtoosh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2019-02-21	Expired	Dave Franceschelli	(No lab)	SIAD does not allow a 2-year cert to expire on 02/21/2019, reset the date on 02/21/2016 for a 3-year duration expiring on the correct date.
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-02-21	Expired	Ashley Shaw	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-08-01	Expired	Ashley Shaw	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-02-21	Expired	Ashley Shaw	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-02-21	Expired	Ashley Shaw	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-02-21	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2021-07-29	Expired	Brandt Houchen	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-07-13	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-07-13	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2017-11-16	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID26057
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2017-11-16	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID26057
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-10-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-10-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2021-10-29	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2021-10-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-07-13	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-07-13	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-07-13	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-07-13	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-07-13	Expired	Sarbjit Grewal	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					