

Certificates for Jennifer Moore

Basic Information

First Name	Jennifer
Last Name	Moore
Status	Active

Associated Labs

Total 7 items.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group Carson	Ricardo Osorio	1210 East 223rd Street, Suite 319, Carson, CA 90745	7	Lab 1
RMA Group - Main Laboratory	Thomas Junker	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 2
RMA Group - PCC #7	Steve Pitzer	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 3
RMA Group - PCC #1	Slawek Dymerski	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 4
RMA Group - PCC#2	Slawek Dymerski	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 5
RMA Corona	Thomas Junker	25225 Maitri Road, Corona, CA 92883	8	Lab 6
RMA Group	Steve Pitzer	6976 Convoy Court, San Diego, CA 92111	11	Lab 7

Test Methods

California Test (CT) Certifications

Total **28** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2024-11-12	Active	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	corrected original cert to 3 yr. only given 2yrs in 2021.
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-11-15	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 125 AGG Sampling - AGGREGATES	2026-11-09	Active	Robby Rodriguez	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 BIT Sampling - BITUMINOUS	2024-11-12	Active	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	corrected original cert to 3 yr. only given 2yrs in 2021.
CT 125 CEM Sampling - CEM	2024-11-12	Active	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 7	corrected original cert to 3 yr. only given 2yrs in 2021.
CT 125 GEN Sampling - GENERAL	2024-11-12	Active	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	corrected original cert to 3 yr. only given 2yrs in 2021.
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-11-15	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 125 HMA Sampling - HMA	2025-11-09	Active	Robby Rodriguez	Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2019-05-16	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-05-16	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-11-15	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 7	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-05-16	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-05-16	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-05-16	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 7	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-11-09	Active	Robby Rodriguez	Lab 1, Lab 2, Lab 7	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 370 Moisture Content by Microwave	2018-02-17	Expired	Robby Rodriguez	Lab 2, Lab 6, Lab 7	(No comments)
CT 382 AC Content by Ignition Oven	2018-02-17	Expired	Robby Rodriguez	Lab 2, Lab 6, Lab 7	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-07-13	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 7	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-07-13	Expired	Sarbjit Grewal	Lab 2, Lab 3, Lab 4, Lab 5, Lab 7	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2024-07-13	Expired	Sarbjit Grewal	Lab 2, Lab 3, Lab 4, Lab 5, Lab 7	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2023-11-12	Expired	Roy(Chip) Denner	Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 533 Ball Penetration - PCC	2024-11-09	Active	Robby Rodriguez	Lab 2, Lab 3, Lab 4, Lab 5	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-07-13	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 7	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-07-13	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 7	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-07-13	Expired	Sarbjit Grewal	Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-07-13	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 7	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-07-13	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 7	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					