

## Certificates for Louis Riley

### Basic Information

<b>First Name</b>	Louis
<b>Last Name</b>	Riley
<b>Status</b>	Active

### Associated Labs

Total 12 items.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group Carson	Ricardo Osorio	1210 East 223rd Street, Suite 319, Carson, CA 90745	7	Lab 1
RMA Group - Main Laboratory	Thomas Junker	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 2
RMA Group -at All American Asphalt Corona	Steve Pitzer	1776 All American Way, Corona, CA 92879	8	Lab 3
RMA Group - PCC #7	Steve Pitzer	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 4
RMA Group - PCC #1	Slawek Dymerski	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 5
RMA Group - PCC#2	Slawek Dymerski	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 6

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Corona	Thomas Junker	25225 Maitri Road, Corona, CA 92883	8	Lab 7
RMA Group	Slawek Dymerski	10671 Jeffrey Road, Irvine, CA 92602	12	Lab 8
RMA Group	Thomas Junker	15505 East Lincoln Avenue, Orange, CA 92856	12	Lab 9
RMA Mobile Laboratory #11	Ray Alcantara	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 10
RMA Mobile Laboratory #12	Steve Pitzer	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 11
RMA Ehrenberg HMA Mobile	Steve Pitzer	Cibola Road, Ehrenberg, AZ 85328	8	Lab 12

## Test Methods

### California Test (CT) Certifications

Total **31** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-05-17	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 10, Lab 11, Lab 12	Louis Riley has been extended to July 09, 2018 until completion of JTCP.
CT 125 ADMIX Sampling - ADMIXTURE	2019-06-24	Expired	Vincent Onoh	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 12	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-05-17	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 12	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-06-24	Expired	Vincent Onoh	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 12	(No comments)
CT 125 CEM Sampling - CEM	2019-06-24	Expired	Vincent Onoh	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11, Lab 12	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2019-06-24	Expired	Vincent Onoh	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 10, Lab 11, Lab 12	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 12	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-05-17	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 10, Lab 11, Lab 12	Louis Riley has been extended to July 09, 2018 until completion of JTCP.
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-05-17	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 10, Lab 11, Lab 12	Did not participate in 2022 CSP CT 202.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-06-11	Expired	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-05-17	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 10, Lab 11, Lab 12	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-05-17	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 10, Lab 11, Lab 12	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-05-17	Active	Brian Ellis	Lab 1, Lab 2, Lab 4, Lab 5, Lab 6, Lab 9, Lab 10, Lab 11	Louis Riley has been extended to July 09, 2018 until completion of JTCP.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1, Lab 2	(No comments)
CT 309 Max SpG and Density - HMA	2019-11-14	Expired	Brandt Houchen	Lab 2, Lab 7, Lab 9	(No comments)
CT 370 Moisture Content by Microwave	2019-11-14	Expired	Brandt Houchen	Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12	(No comments)
CT 382 AC Content by Ignition Oven	2019-11-14	Expired	Brandt Houchen	Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-02-01	Active	Jackie Treat	Lab 1, Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-02-01	Active	Jackie Treat	Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2021-10-15	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 4, Lab 11	Created based on CT521 certificate ID26127

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2021-10-15	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 4, Lab 11	Created based on CT521 certificate ID26127
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2025-02-01	Active	Gabriela Lopez	Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2025-02-01	Active	Gabriela Lopez	Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2021-10-15	Expired	Brandt Houchen	Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11	(No comments)
CT 533 Ball Penetration - PCC	2021-10-15	Expired	Brandt Houchen	Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-02-01	Active	Jackie Treat	Lab 1, Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-02-01	Active	Jackie Treat	Lab 1, Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-02-01	Active	Jackie Treat	Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-02-01	Active	Jackie Treat	Lab 1, Lab 2, Lab 4, Lab 10, Lab 11	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-02-01	Active	Jackie Treat	Lab 1, Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11	(No comments)

## AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12	(No comments)



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-11-18	Active	Dalton LaBoskey	Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-11-18	Active	Dalton LaBoskey	Lab 2, Lab 7, Lab 9	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-11-18	Active	Dalton LaBoskey	Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-11-18	Active	Dalton LaBoskey	Lab 2	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2018-11-14	Expired	Brandt Houchen	Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-11-18	Active	Dalton LaBoskey	Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-07-22	Active	Avinash Ralla	Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-09-13	Expired	Shaya Meisamifard	Lab 2	(No comments)