

Certificates for Louis Riley

Basic Information

| | |
|-------------------|--------|
| First Name | Louis |
| Last Name | Riley |
| Status | Active |

Associated Labs

Total 12 items.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|---|-----------------|---|----------|------------|
| RMA Group Carson | Ricardo Osorio | 1210 East 223rd Street, Suite 319, Carson, CA 90745 | 7 | Lab 1 |
| RMA Group - Main Laboratory | Thomas Junker | 12130 Santa Margarita Court, Rancho Cucamonga, CA 91730 | 8 | Lab 2 |
| RMA Group -at All American Asphalt Corona | Steve Pitzer | 1776 All American Way, Corona, CA 92879 | 8 | Lab 3 |
| RMA Group - PCC #7 | Steve Pitzer | 12130 Santa Margarita Court, Rancho Cucamonga, CA 91730 | 8 | Lab 4 |
| RMA Group - PCC #1 | Slawek Dymerski | 12130 Santa Margarita Court, Rancho Cucamonga, CA 91730 | 8 | Lab 5 |
| RMA Group - PCC#2 | Slawek Dymerski | 12130 Santa Margarita Court, Rancho Cucamonga, CA 91730 | 8 | Lab 6 |

| Lab Name | Manager Name | Full Address | District | Page Alias |
|---------------------------|------------------|---|----------|------------|
| RMA Corona | Marta Landaverde | 25225 Maitri Road, Corona, CA 92883 | 8 | Lab 7 |
| RMA Group | Slawek Dymerski | 10671 Jeffrey Road, Irvine, CA 92602 | 12 | Lab 8 |
| RMA Group | Marta Landaverde | 15505 East Lincoln Avenue, Orange, CA 92856 | 12 | Lab 9 |
| RMA Mobile Laboratory #11 | Ray Alcantara | 12130 Santa Margarita Court, Rancho Cucamonga, CA 91730 | 8 | Lab 10 |
| RMA Mobile Laboratory #12 | Steve Pitzer | 12130 Santa Margarita Court, Rancho Cucamonga, CA 91730 | 8 | Lab 11 |
| RMA Ehrenberg HMA Mobile | Steve Pitzer | Cibola Road, Ehrenberg, AZ 85328 | 8 | Lab 12 |

Test Methods

California Test (CT) Certifications

Total **31** items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|-----------------|---|--|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2024-06-11 | Active | Soroosh Amelian | Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 10, Lab 11, Lab 12 | Louis Riley has been extended to July 09, 2018 until completion of JTCP. |
| CT 125 ADMIX Sampling - ADMIXTURE | 2019-06-24 | Expired | Vincent Onoh | Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 12 | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2024-06-11 | Active | Soroosh Amelian | Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 12 | (No comments) |
| CT 125 BIT Sampling - BITUMINOUS | 2019-06-24 | Expired | Vincent Onoh | Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 12 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|-----------------|---|--|
| CT 125 CEM Sampling - CEM | 2019-06-24 | Expired | Vincent Onoh | Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11, Lab 12 | (No comments) |
| CT 125 GEN Sampling - GENERAL | 2019-06-24 | Expired | Vincent Onoh | Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 10, Lab 11, Lab 12 | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I) | 2025-07-22 | Active | Avinash Ralla | Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 12 | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2024-06-11 | Active | Soroosh Amelian | Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 10, Lab 11, Lab 12 | Louis Riley has been extended to July 09, 2018 until completion of JTCP. |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|-----------|-------------------|---|---|
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2024-06-11 | Suspended | Benjamin Martinez | Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 10, Lab 11, Lab 12 | Did not participate in 2022 CSP CT 202. |
| CT 205 Percent Crushed Particles (JTCP - S&A) | 2021-07-13 | Expired | Richard Hibbard | Lab 2 | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2024-06-11 | Active | Soroosh Amelian | Lab 1, Lab 2 | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A) | 2024-06-11 | Active | Soroosh Amelian | Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 10, Lab 11, Lab 12 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|-----------------|---|--|
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2024-06-11 | Active | Soroosh Amelian | Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8, Lab 9, Lab 10, Lab 11, Lab 12 | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A) | 2024-06-11 | Active | Soroosh Amelian | Lab 1, Lab 2, Lab 4, Lab 5, Lab 6, Lab 9, Lab 10, Lab 11 | Louis Riley has been extended to July 09, 2018 until completion of JTCP. |
| CT 229 Durability (JTCP - S&A) | 2021-07-13 | Expired | Richard Hibbard | Lab 1, Lab 2 | (No comments) |
| CT 309 Max SpG and Density - HMA | 2019-11-14 | Expired | Brandt Houchen | Lab 2, Lab 7, Lab 9 | (No comments) |
| CT 370 Moisture Content by Microwave | 2019-11-14 | Expired | Brandt Houchen | Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12 | (No comments) |
| CT 382 AC Content by Ignition Oven | 2019-11-14 | Expired | Brandt Houchen | Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|-----------------|---|--|
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2025-02-01 | Active | Jackie Treat | Lab 1, Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11 | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC) | 2025-02-01 | Active | Jackie Treat | Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11 | (No comments) |
| CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231) | 2021-10-15 | Expired | Robby Rodriguez | Lab 1, Lab 2, Lab 4, Lab 11 | Created based on CT521 certificate ID26127 |
| CT 521.1 Compressive Strength - PCC (ASTM C39 / C617) | 2021-10-15 | Expired | Robby Rodriguez | Lab 1, Lab 2, Lab 4, Lab 11 | Created based on CT521 certificate ID26127 |
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2025-02-01 | Active | Gabriela Lopez | Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11 | (No comments) |
| CT 523.2 Section B.3 Flexural Strength (Lab Test) | 2025-02-01 | Active | Gabriela Lopez | Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|----------------|---|---------------|
| CT 524 Flexural Strength of Rapid Strength - PCC | 2021-10-15 | Expired | Brandt Houchen | Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11 | (No comments) |
| CT 533 Ball Penetration - PCC | 2021-10-15 | Expired | Brandt Houchen | Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11 | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2025-02-01 | Active | Jackie Treat | Lab 1, Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11 | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2025-02-01 | Active | Jackie Treat | Lab 1, Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11 | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2025-02-01 | Active | Jackie Treat | Lab 2 | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2025-02-01 | Active | Jackie Treat | Lab 1, Lab 2, Lab 4, Lab 10, Lab 11 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---------------------------------------|-----------------|--------|----------------|---|---------------|
| CT 557 Temperature - PCC (JTCP - PCC) | 2025-02-01 | Active | Jackie Treat | Lab 1, Lab 2, Lab 4, Lab 5, Lab 6, Lab 10, Lab 11 | (No comments) |

AASHTO/ASTM Proficiencies

Total 14 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|----------------|---|---------------|
| AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I) | 2025-07-22 | Active | Avinash Ralla | Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12 | (No comments) |
| AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I) | 2025-07-22 | Active | Avinash Ralla | Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12 | (No comments) |
| AASHTO R47 Reducing Samples of HMA (JTCP - HMA I) | 2025-07-22 | Active | Avinash Ralla | Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12 | (No comments) |
| AASHTO R76 Reducing Samples of Agg (JTCP - HMA I) | 2025-07-22 | Active | Avinash Ralla | Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|-----------------|---|---------------|
| AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II) | 2024-11-18 | Active | Dalton LaBoskey | Lab 2 | (No comments) |
| AASHTO T176 Sand Equivalent (JTCP - HMA I) | 2025-07-22 | Active | Avinash Ralla | Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12 | (No comments) |
| AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II) | 2024-11-18 | Active | Dalton LaBoskey | Lab 2, Lab 7, Lab 9 | (No comments) |
| AASHTO T255 Evaporable Moisture Content (JTCP - HMA I) | 2025-07-22 | Active | Avinash Ralla | Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12 | (No comments) |
| AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II) | 2024-11-18 | Active | Dalton LaBoskey | Lab 2 | (No comments) |
| AASHTO T275 Bulk SpG - HMA (JTCP - HMA II) | 2024-11-18 | Active | Dalton LaBoskey | Lab 2 | (No comments) |
| AASHTO T304 Uncompacted Void - Fine Aggregate | 2018-11-14 | Expired | Brandt Houchen | Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|-------------------|---|---------------|
| AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II) | 2024-11-18 | Active | Dalton LaBoskey | Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12 | (No comments) |
| AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I) | 2025-07-22 | Active | Avinash Ralla | Lab 2, Lab 3, Lab 7, Lab 8, Lab 9, Lab 12 | (No comments) |
| AASHTO T335 Percentage of Fracture (JTCP - HMA I) | 2022-09-13 | Expired | Shaya Meisamifard | Lab 2 | (No comments) |

Unofficial Copy