

Certificates for Ronnie Roberts

Basic Information

First Name	Ronnie
Last Name	Roberts
Status	Active

Associated Labs

Total 7 items.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group Carson	Ricardo Osorio	1210 East 223rd Street, Suite 319, Carson, CA 90745	7	Lab 1
RMA Group - Main Laboratory	Thomas Junker	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 2
RMA Group - PCC #7	Steve Pitzer	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 3
RMA Group - PCC #1	Slawek Dymerski	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 4
RMA Group - PCC#2	Slawek Dymerski	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 5
RMA Mobile Laboratory #11	Ray Alcantara	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 6
RMA Mobile Laboratory #12	Steve Pitzer	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 7

Test Methods

California Test (CT) Certifications

Total **28** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-02-10	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2019-04-08	Expired	Vincent Onoh	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-02-10	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-04-08	Expired	Vincent Onoh	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 CEM Sampling - CEM	2019-04-08	Expired	Vincent Onoh	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 125 GEN Sampling - GENERAL	2019-04-08	Expired	Vincent Onoh	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-04-08	Incomplete	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	Did not participate in the 2021 CT217(CSP)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-02-10	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2026-03-07	Active	Afsaneh Ostovar	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-01-28	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-01-28	Expired	Sarbjit Grewal	Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-06-23	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 7	Created based on CT521 certificate ID26184
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-06-23	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 7	Created based on CT521 certificate ID26184
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2022-01-29	Expired	Brandt Houchen	Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-02-01	Expired	Rabiul Hyder	Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2024-02-01	Expired	Rabiul Hyder	Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2018-06-23	Expired	Ashley Shaw	Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-01-28	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-01-28	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-01-28	Expired	Sarbjit Grewal	Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-01-28	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 6, Lab 7	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-01-28	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy