

## Certificates for Nicholas Dyer

### Basic Information

<b>First Name</b>	Nicholas
<b>Last Name</b>	Dyer
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group Carson	Ricardo Osorio	1210 East 223rd Street, Suite 319, Carson, CA 90745	7	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Brandt Houchen	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Brandt Houchen	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-09-20	Expired	Brandt Houchen	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-09-20	Expired	Brandt Houchen	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-09-20	Expired	Brandt Houchen	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-09-20	Expired	Brandt Houchen	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2019-09-20	Expired	Majid Fahrtosh	Lab 1	Created based on CT521 certificate ID26196
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2019-09-20	Expired	Majid Fahrtosh	Lab 1	Created based on CT521 certificate ID26196

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy