

Certificates for Kevin Hopkins

Basic Information

First Name	Kevin
Last Name	Hopkins
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D07 - Valencia Field Laboratory	John Dong	25061 West Avenue Stanford, Suite 70, Valencia, CA 91355	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-06-14	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-07-22	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-06-14	Active	Brian Ellis	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-07-22	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2018-07-22	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2018-07-22	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-06-14	Active	Brian Ellis	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-06-14	Active	Brian Ellis	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-06-14	Active	Brian Ellis	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-06-14	Active	Brian Ellis	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-06-14	Active	Brian Ellis	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Unofficial Copy