

## Certificates for Nelson Alvarado

### Basic Information

<b>First Name</b>	Nelson
<b>Last Name</b>	Alvarado
<b>Status</b>	Active

### Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D07 - Long Beach Field Material Laboratory	Robert Achuela/ Huey-Min Tzou	301 East Coolidge Street, Long Beach, CA 90805	7	Lab 1
CT D07 - Santa Fe Springs Field Material Laboratory	Huey-Min Tzou/ Robert Achuela	13230 Firestone Boulevard, Suite J, Santa Fe Springs, CA 90670	7	Lab 2

### Test Methods

## California Test (CT) Certifications

Total 30 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-04-12	Expired	Shaya Meisamifard	Lab 2	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2019-07-02	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-04-12	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-07-02	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2019-07-02	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2019-07-02	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-07-02	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-05-30	Active	Majid Fehrtosh	Lab 1, Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2025-05-30	Active	Majid Fehrtosh	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-09-19	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-09-19	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-05-30	Active	Roberto Jarquin	Lab 2	Created based on CT521 certificate ID26356
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2025-05-30	Active	Roberto Jarquin	Lab 2	Created based on CT521 certificate ID26356
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-05-30	Expired	Roberto Jarquin	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2025-05-30	Active	Majid Fehrtosh	Lab 1, Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2025-05-30	Active	Majid Fehrtosh	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2025-05-30	Active	Majid Fehrtosh	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-09-19	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-09-19	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2019-09-19	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2025-05-30	Active	Majid Fahrtoosh	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2019-09-19	Expired	Biplab Bhattacharya	Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-09-19	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					