

Certificates for Omar Lorrabaquio

Basic Information

First Name	Omar
Last Name	Lorrabaquio
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Aragon Geotechnical, Incorporated	Carlos Fernando Aragon	16801 Van Buren Boulevard, Riverside, CA 92504	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 35 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-09-28	Expired	Rabiul Hyder	Lab 1	ia74- this is the only way to update 106 practical. This follows any Spg recert.
CT 125 ADMIX Sampling - ADMIXTURE	2024-09-28	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-05-24	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2024-09-28	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2024-09-28	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2024-09-28	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA	2024-05-24	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2018-08-17	Expired	Dave Franceschelli	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-08-17	Expired	Dave Franceschelli	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-09-28	Expired	Rabiul Hyder	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2023-09-28	Expired	Rabiul Hyder	Lab 1	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2017-09-02	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 211 LA Rattler	2023-09-28	Expired	Rabiul Hyder	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2024-02-24	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-09-02	Expired	Robby Rodriguez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2018-08-17	Expired	Dave Franceschelli	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-08-17	Expired	Dave Franceschelli	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-02-21	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2023-09-28	Expired	Rabiul Hyder	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-01-12	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2023-09-28	Expired	Rabiul Hyder	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2023-09-28	Expired	Rabiul Hyder	Lab 1	(No comments)
CT 371 Moisture Induced Damage (TSR)	2022-02-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2023-02-21	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2023-09-28	Expired	Rabiul Hyder	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2020-07-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2020-07-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-07-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-07-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2020-07-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2020-07-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2020-07-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-09-28	Expired	Rabiul Hyder	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-09-28	Expired	Rabiul Hyder	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2023-09-28	Expired	Rabiul Hyder	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T210 Aggregate Durability Index	2022-02-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2022-02-27	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2024-02-24	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2023-09-28	Expired	Rabiul Hyder	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2023-09-28	Expired	Rabiul Hyder	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2023-09-28	Expired	Rabiul Hyder	Lab 1	(No comments)