

Certificates for Armando Esquivel

Basic Information

First Name	Armando
Last Name	Esquivel
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Twining Laboratories of Southern California	Sammy Daghighi	111 North Main Street, Unit A, Riverside, CA 92501	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2025-01-09	Active	Alexis England	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2025-01-09	Active	Alexis England	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2025-01-09	Active	Alexis England	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2025-01-09	Active	Alexis England	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2025-01-09	Active	Alexis England	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2025-01-09	Active	Alexis England	Lab 1	(No comments)
CT 366 Stabilometer	2025-01-09	Active	Alexis England	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2025-01-09	Active	Alexis England	Lab 1	(No comments)
CT 389 Hamburg Wheel-Track	2024-10-12	Active	Babak Rezaei	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 1 item.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T283 Moisture Induced Damage (TSR)	2024-10-12	Active	Babak Rezaei	Lab 1	(No comments)

Unofficial Copy