

Certificates for Cesar Gomez

Basic Information

First Name	Cesar
Last Name	Gomez
Status	Active

Associated Labs

Total 4 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Vulcan Materials Comp., Irwindale lab	Timothy Reed	16009 E Foothill Blvd., Irwindale, CA 91706	7	Lab 1
Vulcan Materials Co.	Timothy Reed	11401 Tuxford Ave., Sun Valley, CA 91352	7	Lab 2
Vulcan Materials Comp., Corona	Chris Lucero	1709 Sherborn Street, Corona, CA 92879	8	Lab 3
Vulcan Materials - Oro Grande lab	Chris Lucero	20181 National Trails Highway, Oro Grande, CA 92368	8	Lab 4

Test Methods

California Test (CT) Certifications

Total **20** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-02-28	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Brandt Houchen	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-02-28	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 GEN Sampling - GENERAL	2021-12-09	Expired	Majid Fahrtoosh	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Robert Achuela	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-02-11	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2020-01-25	Expired	Brandt Houchen	Lab 1, Lab 3	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-12-09	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-12-09	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 211 LA Rattler	2021-12-09	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2021-12-09	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-02-11	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-02-11	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-02-11	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 229 Durability (JTCP - S&A)	2020-01-25	Expired	Brandt Houchen	Lab 1, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 304 Sample Preparation - HMA	2021-12-09	Expired	Majid Fahrtosh	Lab 1, Lab 3	(No comments)
CT 309 Max SpG and Density - HMA	2021-12-09	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2021-12-09	Expired	Majid Fahrtosh	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 382 AC Content by Ignition Oven	2021-12-09	Expired	Majid Fahrtosh	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

AASHTO/ASTM Proficiencies

Total 11 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-02-13	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-02-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-02-13	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2023-02-28	Active	Sarbjit Grewal	Lab 1, Lab 3	(No comments)

Unofficial Copy