

Certificates for Kevin Kolby

Basic Information

First Name	Kevin
Last Name	Kolby
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Vulcan Materials Company - Irwindale Laboratory	Timothy Reed	16009 East Foothill Boulevard, Irwindale, CA 91706	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Ashley Shaw	Lab 1	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2020-01-26	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-01-26	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-01-26	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2020-01-26	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2020-01-26	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-01-26	Expired	Ashley Shaw	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-11-23	Expired	Ashley Shaw	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2018-11-22	Expired	Ashley Shaw	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-11-22	Expired	Ashley Shaw	Lab 1	(No comments)
CT 211 LA Rattler	2018-11-22	Expired	Ashley Shaw	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-11-23	Expired	Ashley Shaw	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-11-23	Expired	Ashley Shaw	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **10** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-11-23	Expired	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2018-11-22	Expired	Ashley Shaw	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2018-11-22	Expired	Ashley Shaw	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2021-07-19	Expired	Richard Hibbard	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-11-23	Expired	Ashley Shaw	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2021-07-19	Expired	Richard Hibbard	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2021-07-19	Expired	Richard Hibbard	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-07-19	Expired	Richard Hibbard	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2021-07-19	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2018-11-22	Expired	Ashley Shaw	Lab 1	(No comments)

Unofficial Copy