

Certificates for Michael Maldonado

Basic Information

First Name	Michael
Last Name	Maldonado
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Vulcan Materials Company - Irwindale Laboratory	Timothy Reed	16009 East Foothill Boulevard, Irwindale, CA 91706	7	Lab 1
Vulcan Materials Company - Corona	Tim Reed	1709 Sherborn Street, Corona, CA 92879	8	Lab 2
Vulcan Materials Company - Palmdale	Tim Reed	6851 East Avenue T, Littlerock, CA 93543	7	Lab 3

Test Methods

California Test (CT) Certifications

Total 25 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Brandt Houchen	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2019-03-10	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-03-10	Expired	Majid Fahrtosh	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 CEM Sampling - CEM	2019-03-10	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2019-03-10	Expired	Majid Fahrtosh	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-03-10	Expired	Majid Fahrtosh	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 204 LL, PL, PI	2021-12-10	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-12-10	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-12-10	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 211 LA Rattler	2021-12-10	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2021-12-10	Expired	Majid Fehrtosh	Lab 1, Lab 2	(No comments)
CT 235 Flat and Elongated Particles	2021-12-10	Expired	Majid Fehrtosh	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2019-03-10	Expired	Majid Fehrtosh	Lab 1, Lab 2	(No comments)
CT 370 Moisture Content by Microwave	2019-03-10	Expired	Majid Fehrtosh	Lab 1, Lab 2, Lab 3	(No comments)
CT 382 AC Content by Ignition Oven	2019-03-10	Expired	Majid Fehrtosh	Lab 1, Lab 2, Lab 3	(No comments)

AASHTO/ASTM Proficiencies

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2020-01-25	Expired	Brandt Houchen	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2020-01-25	Expired	Brandt Houchen	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2021-12-10	Expired	Majid Fahrtoosh	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2021-12-10	Expired	Majid Fahrtoosh	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2020-01-25	Expired	Brandt Houchen	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-02-01	Expired	Ashley Shaw	Lab 1, Lab 3	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2019-02-01	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2019-02-01	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2019-02-01	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)

Unofficial Copy