

Certificates for Robert Maldonado

Basic Information

First Name	Robert
Last Name	Maldonado
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-03-19	Expired	Brandt Houchen	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Brandt Houchen	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Majid Fahrtoosh	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-03-10	Expired	Ashley Shaw	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
CT 211 LA Rattler	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-03-10	Expired	Ashley Shaw	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-03-10	Expired	Ashley Shaw	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 370 Moisture Content by Microwave	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2020-01-26	Expired	Brandt Houchen	(No lab)	(No comments)