

Certificates for Timothy Reed

Basic Information

First Name	Timothy
Last Name	Reed
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Vulcan Materials Company - Irwindale Laboratory	Timothy Reed	16009 East Foothill Boulevard, Irwindale, CA 91706	7	Lab 1
Vulcan Materials Company - Sun Valley	Tim Reed	11401 Tuxford Avenue, Sun Valley, CA 91352	7	Lab 2
Vulcan Materials Company - Palmdale	Tim Reed	6851 East Avenue T, Littlerock, CA 93543	7	Lab 3

Test Methods

California Test (CT) Certifications

Total 32 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Robert Achuela	Lab 1, Lab 2, Lab 3	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Robert Achuela	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 CEM Sampling - CEM	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Robert Achuela	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 209 SpG for Soil	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 211 LA Rattler	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 3	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 366 Stabilometer	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 367 OBC	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 368 OBC of OGAC	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 371 Moisture Induced Damage (TSR)	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 16 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T304 Uncompacted Void - Fine Aggregate	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T312 Gyratory Compactor	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2020-01-25	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2020-01-25	Expired	Ashley Shaw	Lab 1	(No comments)