

Certificates for Brandon Buffalo

Basic Information

First Name	Brandon
Last Name	Buffalo
Status	Active

Associated Labs

Total 6 items.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group - Main Lab	Raymond Alcantara	12130 Santa Margarita Ct, Rancho Cucamonga, CA 91730	8	Lab 1
RMA Group - PCC #7	Ray Alcantara	12130 Santa Margarita Ct., Rancho Cucamonga, CA 91730	8	Lab 2
RMA Group - PCC #1	Slawek Dymerski	12130 Santa Margarita Ct., Rancho Cucamonga, CA 91730	8	Lab 3
RMA Group - PCC#2	Slawek Dymerski	12130 Santa Margarita Ct., Rancho Cucamonga, CA 91730	8	Lab 4
RMA Corona	Marta Landaverde	25225 Maitri Rd, Corona, CA 92883	8	Lab 5
RMA Group	Marta Landaverde	15505 E. Lincoln Ave., Orange, CA 92856	12	Lab 6

Test Methods

California Test (CT) Certifications

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2018-04-08	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-04-08	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 AGG Sampling - AGGREGATES	2021-07-09	Expired	Majid Fahrtoosh	Lab 6	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-04-08	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 CEM Sampling - CEM	2018-04-08	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2021-07-09	Expired	Majid Fahrtosh	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-04-08	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 HMA Sampling - HMA	2021-07-09	Expired	Majid Fahrtosh	Lab 6	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-11-08	Expired	Brandt Houchen	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-07-09	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-04-14	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-04-14	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2017-06-23	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2017-06-23	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 533 Ball Penetration - PCC	2017-06-23	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-04-14	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-04-14	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-04-14	Active	Jasdeep Sandhu	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-04-14	Active	Jasdeep Sandhu	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-04-14	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy