

Certificates for Ivan Lopez

Basic Information

First Name	Ivan
Last Name	Lopez
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
G3 Quality, Incorporated - Redlands Laboratory	Matthew Ramos	25837 Business Center Drive, Suite F, Redlands, CA 92374	8	Lab 1
G3 Quality, Inc. - Box Truck #4	Matthew Ramos	13850 Cerritos Corporate Drive, Suite E, Cerritos, CA 90703	7	Lab 2

Test Methods

California Test (CT) Certifications

Total 35 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-01-27	Active	Avinash Ralla	Lab 1	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2025-06-05	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2020-03-16	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-01-27	Active	Avinash Ralla	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-03-16	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2020-03-16	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2020-03-16	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-06-11	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-06-11	Active	Benjamin Martinez	Lab 1, Lab 2	Reinstated 09/07/2023. Participated in 2022 CSP CT 202.
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-06-11	Active	Soroosh Amelian	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-06-11	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-06-11	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-06-11	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-06-05	Active	Rabiul Hyder	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 304 Sample Preparation - HMA	2018-08-28	Expired	Ashley Shaw	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2018-08-28	Expired	Ashley Shaw	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2018-08-28	Expired	Ashley Shaw	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-08-28	Expired	Ashley Shaw	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-12-09	Active	Gabriela Lopez	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-12-09	Active	Gabriela Lopez	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-09-13	Active	Daniel Stewart	Lab 1	Created based on CT521 certificate ID27936
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-09-13	Active	Daniel Stewart	Lab 1	Created based on CT521 certificate ID27936

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-12-09	Active	Gabriela Lopez	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-09-13	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2024-09-13	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2024-09-13	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-12-09	Active	Gabriela Lopez	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-12-09	Active	Gabriela Lopez	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-12-09	Active	Gabriela Lopez	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-12-09	Active	Gabriela Lopez	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-12-09	Active	Gabriela Lopez	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 1	(No comments)