

Certificates for Marta Landaverde

Basic Information

First Name	Marta
Last Name	Landaverde
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Smith Emery Laboratories - Anaheim	Carlos Lievanos	1195 North Tustin Avenue, Anaheim, CA 92807	12	Lab 1
Smith Emery - Los Angeles	Janeth Quintero	781 East Washington Boulevard, Los Angeles, CA 90021	7	Lab 2
CT D08 - Fontana Southern Regional Laboratory	Ron Longazo	13970 Victoria Street, Fontana, CA 92336	8	Lab 3

Test Methods

California Test (CT) Certifications

Total 37 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 3	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 204 LL, PL, PI	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
CT 211 LA Rattler	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 213 Organic Impurities of PCC sand	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 227 Cleanness Value (JTCP - S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2025-07-15	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
CT 235 Flat and Elongated Particles	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
CT 301 "R" Value	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
CT 304 Sample Preparation - HMA	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 3	(No comments)
CT 308 Bulk SpG and Density - HMA	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
CT 309 Max SpG and Density - HMA	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
CT 366 Stabilometer	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 367 OBC	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
CT 370 Moisture Content by Microwave	2025-07-12	Active	Ashley Shaw	Lab 1	(No comments)
CT 371 Moisture Induced Damage (TSR)	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
CT 382 AC Content by Ignition Oven	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
CT 389 Hamburg Wheel-Track	2026-03-28	Active	Edwin Rojas Flores	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 2	Created based on CT521 certificate ID29045
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 2	Created based on CT521 certificate ID29045
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2025-07-12	Active	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 531 Core Length - PCC	2023-11-09	Expired	Rabiul Hyder	Lab 3	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-07-27	Active	Ashley Shaw	Lab 1, Lab 2, Lab 3	Date adjusted to match CT 524

AASHTO/ASTM Proficiencies

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 3	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 3	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 3	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
AASHTO T96 L.A. Rattler	2025-07-12	Active	Ashley Shaw	Lab 3	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-10-21	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 3	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-10-21	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 3	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-10-21	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-10-21	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2025-07-12	Active	Ashley Shaw	Lab 3	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-10-21	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)
AASHTO T312 Gyratory Compactor	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
AASHTO T324 Hamburg Wheel-Track	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 3	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 3	(No comments)
ASTM D4791 Flat and Elongated Particles	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	(No comments)