

Certificates for Ryan Manning

Basic Information

First Name	Ryan
Last Name	Manning
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 27 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2020-03-01	Expired	Ashley Shaw	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2020-03-01	Expired	Ashley Shaw	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2018-03-01	Expired	Ashley Shaw	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2021-06-22	Expired	Richard Hibbard	(No lab)	(No comments)
CT 301 "R" Value	2018-09-22	Expired	Ashley Shaw	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-04-19	Expired	Ashley Shaw	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-04-19	Expired	Ashley Shaw	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-04-19	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID29647
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-04-19	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID29647

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2018-04-19	Expired	Ashley Shaw	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2018-04-19	Expired	Ashley Shaw	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2017-04-14	Expired	Ashley Shaw	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-04-19	Expired	Ashley Shaw	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-04-19	Expired	Ashley Shaw	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-04-19	Expired	Ashley Shaw	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-04-19	Expired	Ashley Shaw	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-04-19	Expired	Ashley Shaw	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 2 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-02-21	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-02-21	Expired	Ashley Shaw	(No lab)	(No comments)