

Certificates for Edmond Jabbour

Basic Information

First Name	Edmond
Last Name	Jabbour
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Kleinfelder, Inc.	Jeffrey Diaz	12611 Hiddencreek Way Suite E, Cerritos, CA 90703	7	Lab 1
Kleinfelder, Inc.- Ontario	Jeffrey Diaz	620 South Magnolia Ave., Building G, Ontario, CA 91762	8	Lab 2
Kleinfelder	Uly Panuncialman	5761 Copley Drive, Suite 100, San Diego, CA 92111	11	Lab 3

Test Methods

California Test (CT) Certifications

Total 44 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2023-11-19	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	CT 125 CERTIFICATION FOR THREE YEARS.
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-11-19	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	CT 125 CERTIFICATION FOR THREE YEARS.
CT 125 CEM Sampling - CEM	2023-11-19	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	CT125 CERTIFICATION FOR THREE YEARS.
CT 125 GEN Sampling - GENERAL	2023-11-19	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	CT 125 CERTIFICATION FOR THREE YEARS.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2024-04-07	Active	Shaya Meisamifard	Lab 1, Lab 2, Lab 3	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2024-04-07	Active	Shaya Meisamifard	Lab 2, Lab 3	(No comments)
CT 211 LA Rattler	2024-04-07	Active	Shaya Meisamifard	Lab 2, Lab 3	(No comments)
CT 213 Organic Impurities of PCC sand	2024-04-07	Active	Shaya Meisamifard	Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 214 Sodium Sulfate Soundness	2024-04-07	Active	Shaya Meisamifard	Lab 2, Lab 3	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-11-19	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	(No comments)
CT 304 Sample Preparation - HMA	2018-04-20	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-04-20	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 309 Max SpG and Density - HMA	2018-04-20	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 366 Stabilometer	2018-04-20	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 370 Moisture Content by Microwave	2018-04-20	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 371 Moisture Induced Damage (TSR)	2018-04-20	Expired	Ashley Shaw	Lab 2, Lab 3	(No comments)
CT 382 AC Content by Ignition Oven	2018-04-20	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-02-16	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-02-16	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3	(No comments)
CT 521 Compressive Strength - PCC	2023-05-13	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2023-05-13	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2023-05-13	Active	Rabiul Hyder	Lab 1, Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-11-19	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	(No comments)
CT 533 Ball Penetration - PCC	2023-05-13	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-02-16	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-02-16	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-02-16	Active	Jasdeep Sandhu	Lab 3	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2024-04-07	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-02-16	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-02-16	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3	(No comments)
CT 643 Resistivity and pH Measurements	2024-04-07	Active	Shaya Meisamifard	Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 2, Lab 3	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 2, Lab 3	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 3	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2022-03-10	Expired	Rabiul Hyder	Lab 2, Lab 3	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2022-03-10	Expired	Rabiul Hyder	Lab 2, Lab 3	(No comments)
AASHTO T96 L.A. Rattler	2022-03-10	Expired	Rabiul Hyder	Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-10-21	Active	Avinash Ralla	Lab 2, Lab 3	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-10-21	Active	Avinash Ralla	Lab 3	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 2, Lab 3	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-10-21	Active	Avinash Ralla	Lab 2, Lab 3	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-10-21	Active	Avinash Ralla	Lab 2, Lab 3	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-10-21	Active	Avinash Ralla	Lab 2, Lab 3	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 3	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 2, Lab 3	(No comments)