

Certificates for Jesse Maddox

Basic Information

First Name	Jesse
Last Name	Maddox
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2019-02-28	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-02-28	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 BIT Sampling - BITUMINOUS	2019-02-28	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2019-02-28	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-02-28	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-02-28	Expired	Ashley Shaw	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-02-28	Expired	Ashley Shaw	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-02-28	Expired	Ashley Shaw	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2019-02-28	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID28188
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2019-02-28	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID28188
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-02-28	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-02-28	Expired	Ashley Shaw	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2019-02-28	Expired	Ashley Shaw	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-02-28	Expired	Ashley Shaw	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-02-28	Expired	Ashley Shaw	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2019-02-28	Expired	Ashley Shaw	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-02-28	Expired	Ashley Shaw	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					