

## Certificates for Michael Magana

### Basic Information

<b>First Name</b>	Michael
<b>Last Name</b>	Magana
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Kleinfelder, Inc.- Ontario	Jeffrey Diaz	620 South Magnolia Ave., Building G, Ontario, CA 91762	8	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 45 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-01-29	Active	Robby Rodriguez	Lab 1	ia74 - this expiration follows the CT 206 & 207 tests.
CT 125 ADMIX Sampling - ADMIXTURE	2022-09-25	Active	Ashley Shaw	Lab 1	ia74 - this is a 3yr..expires 9-25-22
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2022-09-25	Active	Ashley Shaw	Lab 1	ia74 - this is a 3yr..expires 9-25-22
CT 125 CEM Sampling - CEM	2022-09-25	Active	Ashley Shaw	Lab 1	ia74 - this is a 3yr..expires 9-25-22
CT 125 GEN Sampling - GENERAL	2022-09-25	Active	Ashley Shaw	Lab 1	ia74 - this is a 3yr..expires 9-25-22
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-04-22	Incomplete	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1	(No comments)
CT 204 LL, PL, PI	2022-09-23	Active	Rabiul Hyder	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-01-29	Active	Robby Rodriguez	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2023-01-29	Active	Robby Rodriguez	Lab 1	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2023-01-29	Active	Robby Rodriguez	Lab 1	(No comments)
CT 211 LA Rattler	2023-01-29	Active	Robby Rodriguez	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2024-04-06	Active	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 214 Sodium Sulfate Soundness	2023-03-10	Active	Rabiul Hyder	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2025-01-14	Active	Soroosh Amelian	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-09-24	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 301 "R" Value	2022-09-23	Active	Rabiul Hyder	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2023-09-24	Active	Majid Fahrtosh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-09-24	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2023-09-24	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 366 Stabilometer	2023-09-24	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2023-09-24	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2023-09-24	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-04-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-04-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2023-01-29	Active	Robby Rodriguez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-04-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2023-01-29	Active	Robby Rodriguez	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-11-19	Active	Rabiul Hyder	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2023-01-29	Active	Robby Rodriguez	Lab 1	10/08/2019: Restored the original certification date set by IA 118 as per TL-0103. ??110
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-04-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-04-11	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-04-11	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-04-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-04-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 643 Resistivity and pH Measurements	2024-04-06	Active	Shaya Meisamifard	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total 18 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2022-01-29	Expired	Robby Rodriguez	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2022-01-29	Expired	Robby Rodriguez	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2022-01-29	Expired	Robby Rodriguez	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-10-24	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-10-24	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-10-24	Active	Sarbjit Grewal	Lab 1	(No comments)



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-10-24	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2022-01-29	Expired	Robby Rodriguez	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-10-24	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-04-22	Active	Avinash Ralla	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2022-01-29	Expired	Robby Rodriguez	Lab 1	(No comments)