

Certificates for Ronnie Schmitz

Basic Information

First Name	Ronnie
Last Name	Schmitz
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Ashley Shaw	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2018-04-29	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-04-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-04-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2018-04-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-04-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-04-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Ashley Shaw	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-06-30	Expired	Ashley Shaw	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-04-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-06-30	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-06-30	Expired	Ashley Shaw	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-02-28	Expired	Ashley Shaw	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2018-06-30	Expired	Ashley Shaw	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-04-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-04-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-04-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2018-06-30	Expired	Ashley Shaw	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2018-06-30	Expired	Ashley Shaw	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-04-29	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-04-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-04-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-04-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-04-29	Expired	Ashley Shaw	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					