

Certificates for Vartan Deirdeirian

Basic Information

First Name	Vartan
Last Name	Deirdeirian
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Kleinfelder, Inc.- Ontario	Jeffrey Diaz	620 South Magnolia Ave., Building G, Ontario, CA 91762	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 18 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2019-09-18	Expired	Robby Rodriguez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-09-18	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-09-18	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2019-09-18	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2019-09-18	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-09-18	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-09-18	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-09-18	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-05-13	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-05-13	Expired	Jasdeep Sandhu	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-06-26	Expired	Vincent Onoh	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-06-26	Expired	Vincent Onoh	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2020-06-26	Expired	Vincent Onoh	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-05-13	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-05-13	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-05-13	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-05-13	Expired	Jasdeep Sandhu	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-05-13	Expired	Jasdeep Sandhu	Lab 1	(No comments)

AASHTO/ASTM Proficiencies



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy