

Certificates for Zachariah Roush

Basic Information

First Name	Zachariah
Last Name	Roush
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 31 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-07-30	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2025-07-26	Active	Majid Fahrtosh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-07-30	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-07-26	Active	Majid Fahrtoosh	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2025-07-26	Active	Majid Fahrtoosh	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2025-07-26	Active	Majid Fahrtoosh	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-07-30	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-06-18	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-06-18	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-06-18	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-06-18	Expired	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2024-06-18	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-06-18	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-06-18	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2024-06-18	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-07-26	Expired	Majid Fahrtosh	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-07-30	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2022-11-18	Expired	Majid Fahrtosh	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-06-17	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-06-17	Expired	Jasdeep Sandhu	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2023-07-26	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID30114
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2023-07-26	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID30114
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2023-07-26	Expired	Majid Fahrtosh	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2023-07-26	Expired	Majid Fahrtosh	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2023-07-26	Expired	Majid Fahrtosh	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-06-17	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-06-17	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-06-17	Expired	Jasdeep Sandhu	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 552 Relative Compaction of Polymer Concrete	2023-07-26	Expired	Majid Fahrtosh	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-06-17	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-06-17	Expired	Jasdeep Sandhu	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-07-30	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-07-30	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-07-30	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-07-30	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-07-22	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-07-30	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-07-22	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-07-30	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-07-22	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-07-22	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-07-22	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-07-30	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-07-30	Active	Sarbjit Grewal	(No lab)	(No comments)

Unofficial Copy