

Certificates for Andrew Potter

Basic Information

First Name	Andrew
Last Name	Potter
Status	Active

Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
Riverside, County of	Elmer Datuin	2950 Washington St., Riverside, CA 92780	8	Lab 1
Riverside, County of, Satellite Lab	Elmer Datuin	86199 Airport Blvd, Thermal, CA 92274	8	Lab 2

Test Methods

California Test (CT) Certifications

Total **26** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-04-16	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2018-05-03	Expired	Chad Claxton	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-04-16	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-08-01	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2018-05-03	Expired	Chad Claxton	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2020-08-01	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-08-01	Expired	Vincent Onoh	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-04-16	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-04-16	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-04-16	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-04-16	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-04-16	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-04-16	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-04-16	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-04-16	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-05-20	Expired	Brandt Houchen	Lab 1, Lab 2	COVID 19 1 Month Extension.
CT 301 "R" Value	2023-08-12	Active	Chad Claxton	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-08-16	Expired	Vincent Onoh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-08-16	Expired	Vincent Onoh	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2021-09-19	Expired	Ayman Nabulsi	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2021-09-19	Expired	Ayman Nabulsi	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-08-16	Expired	Vincent Onoh	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-08-16	Expired	Vincent Onoh	Lab 1	(No comments)
CT 547 Bridge Profilograph	2024-01-04	Active	Robby Rodriguez	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-08-16	Expired	Vincent Onoh	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-08-16	Expired	Vincent Onoh	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					