

Certificates for Mike Harlin

Basic Information

First Name	Mike
Last Name	Harlin
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-05-03	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-05-03	Expired	Roberto Jarquin	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 BIT Sampling - BITUMINOUS	2018-05-03	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2018-05-03	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-05-03	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-05-03	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-05-03	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-05-03	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2019-08-17	Expired	Vincent Onoh	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-08-17	Expired	Vincent Onoh	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-08-17	Expired	Vincent Onoh	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-08-17	Expired	Vincent Onoh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2018-08-17	Expired	Vincent Onoh	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-08-17	Expired	Vincent Onoh	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					