

Certificates for Tim Barnthouse

Basic Information

First Name	Tim
Last Name	Barnthouse
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Riverside, County of	Elmer Datuin	2950 Washington Street, Riverside, CA 92780	8	Lab 1
Riverside County, Mobile Laboratory	Elmer Datuin	2950 Washington Street, Riverside, CA 92504	8	Lab 2
Riverside County, Satellite Laboratory	Elmer Datuin	86199 Airport Boulevard, Thermal, CA 92274	8	Lab 3

Test Methods

California Test (CT) Certifications

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-05-17	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2018-05-04	Expired	Roberto Jarquin	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-05-17	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-08-23	Expired	Vincent Onoh	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2018-05-04	Expired	Roberto Jarquin	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2020-08-23	Expired	Vincent Onoh	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-08-23	Expired	Vincent Onoh	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-05-17	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-05-17	Active	Brian Ellis	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2027-05-17	Active	Brian Ellis	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2027-05-17	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-05-17	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-05-17	Active	Brian Ellis	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-05-17	Active	Brian Ellis	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2027-05-17	Active	Brian Ellis	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2026-05-21	Active	Babak Rezaei	Lab 1, Lab 3	COVID 19 1 Month Extension.
CT 301 "R" Value	2024-08-30	Active	Rabiul Hyder	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-09-19	Active	Babak Rezaei	Lab 1	Created based on CT521 certificate ID29899

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2025-09-19	Active	Babak Rezaei	Lab 1	Created based on CT521 certificate ID29899
CT 533 Ball Penetration - PCC	2025-09-19	Active	Babak Rezaei	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-08-17	Expired	Vincent Onoh	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-08-17	Expired	Vincent Onoh	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-08-17	Expired	Vincent Onoh	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					