

## Certificates for Gerardo Seym

### Basic Information

<b>First Name</b>	Gerardo
<b>Last Name</b>	Seym
<b>Status</b>	Active

### Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Granite Construction Co. - Main Lab	Michael Tallion	38000 Monroe Street, Indio, CA 92203	8	Lab 1
Granite Construction Co. - DC-AC	Michael Tallion	38000 Monroe Street (physical address: 35100 Dillon Rd, Desert Hot Springs, CA 92241), Indio, CA 92203	8	Lab 2

### Test Methods

## California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-08-03	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2018-04-12	Expired	Robby Rodriguez	Lab 1, Lab 2	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2018-04-12	Expired	Robby Rodriguez	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-09-13	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-04-12	Expired	Robby Rodriguez	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2018-04-12	Expired	Robby Rodriguez	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2018-04-12	Expired	Robby Rodriguez	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-09-13	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-08-03	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-08-03	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-08-03	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2020-04-12	Expired	Vincent Onoh	Lab 1	(No comments)
CT 211 LA Rattler	2020-04-12	Expired	Vincent Onoh	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-08-03	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-08-03	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-08-03	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-08-03	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2021-08-03	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2020-04-12	Expired	Vincent Onoh	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2020-04-12	Expired	Vincent Onoh	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2020-04-12	Expired	Vincent Onoh	Lab 1, Lab 2	(No comments)
CT 309 Max SpG and Density - HMA	2020-04-12	Expired	Vincent Onoh	Lab 1, Lab 2	(No comments)
CT 366 Stabilometer	2020-04-12	Expired	Vincent Onoh	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2020-04-12	Expired	Vincent Onoh	Lab 1, Lab 2	(No comments)

## AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-09-13	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-09-13	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-09-13	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-09-13	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-05-02	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-09-13	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-05-02	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-09-13	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-05-02	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-05-02	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-05-02	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO T312 Gyratory Compactor	2020-04-12	Expired	Vincent Onoh	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-09-13	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-09-13	Active	Shaya Meisamifard	Lab 1	(No comments)