

Certificates for Greg Gracia

Basic Information

First Name	Greg
Last Name	Gracia
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Daniel Stewart	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Daniel Stewart	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Daniel Stewart	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 211 LA Rattler	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2018-03-11	Expired	Daniel Stewart	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2017-12-27	Expired	Dave Franceschelli	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2017-12-27	Expired	Dave Franceschelli	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2017-12-27	Expired	Dave Franceschelli	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2017-12-27	Expired	Dave Franceschelli	(No lab)	(No comments)