

Certificates for Michael Tallion

Basic Information

First Name	Michael
Last Name	Tallion
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 27 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-05-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2019-04-21	Expired	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-05-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-04-21	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-05-06	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
CT 211 LA Rattler	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 212 Unit Weight of Aggregates	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2023-04-21	Expired	Chad Claxton	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-05-06	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
CT 366 Stabilometer	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-05-06	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-05-06	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-05-06	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-05-06	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-04-09	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-05-06	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-04-09	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-05-06	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-04-09	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-04-09	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-04-09	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T324 Hamburg Wheel-Track	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-05-06	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-05-06	Expired	Sarbjit Grewal	(No lab)	(No comments)
ASTM D4791 Flat and Elongated Particles	2025-03-22	Active	Donya Heidari	(No lab)	(No comments)

Unofficial Copy