

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-09-13	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2022-11-13	Active	Robby Rodriguez	Lab 1, Lab 2	ia74 - supposed to expire 3yr from 11/13/19. Do not have the option in SIAD to add 3yrs to CT125's.
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-09-13	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2022-11-13	Active	Robby Rodriguez	Lab 1, Lab 2	ia74 - supposed to expire 3yr from 11/13/19. Do not have the option in SIAD to add 3yrs to CT125's.
CT 125 CEM Sampling - CEM	2022-11-13	Active	Robby Rodriguez	Lab 1, Lab 2	ia74 - supposed to expire 3yr from 11/13/19. Do not have the option in SIAD to add 3yrs to CT125's.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2022-11-13	Active	Robby Rodriguez	Lab 1, Lab 2	ia74 - supposed to expire 3yr from 11/13/19. Do not have the option in SIAD to add 3yrs to CT125's.
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-10-18	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-10-18	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-10-18	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2024-04-25	Active	Rabiul Hyder	Lab 1, Lab 2	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2023-04-13	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 211 LA Rattler	2023-10-27	Active	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-10-18	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-10-18	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-10-18	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-10-18	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2022-10-18	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2023-04-13	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 235 Flat and Elongated Particles	2023-04-13	Active	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2020-11-30	Expired	Dalton LaBoskey	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2020-11-30	Expired	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 521 Compressive Strength - PCC	2024-01-18	Active	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2022-01-28	Expired	Robby Rodriguez	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-01-18	Active	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2024-01-18	Active	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-11-30	Expired	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-11-30	Expired	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2020-11-30	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2020-11-30	Expired	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2020-11-30	Expired	Dalton LaBoskey	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-04-13	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-04-13	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2023-10-27	Active	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2023-04-13	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2023-04-13	Active	Shaya Meisamifard	Lab 1	(No comments)