

Certificates for Matthew Puraty

Basic Information

| | |
|-------------------|---------|
| First Name | Matthew |
| Last Name | Puraty |
| Status | Active |

Associated Labs

Total 1 item.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|---------------|---------------|--|----------|------------|
| Ninyo & Moore | James Dalgity | 7888 Cherry Avenue, Unit I , Fontana, CA 92336 | 8 | Lab 1 |

Test Methods

California Test (CT) Certifications

Total 11 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|----------------------------------|-----------------|---------|-------------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES | 2024-02-18 | Expired | Shaya Meisamifard | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|-------------------|---------------------|------------------------------|
| CT 231 Relative Compaction - Nuclear Gage | 2024-07-31 | Active | Rabiul Hyder | Lab 1 | (No comments) |
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2027-08-05 | Active | Dalton LaBoskey | Lab 1 | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC) | 2027-08-05 | Active | Dalton LaBoskey | Lab 1 | (No comments) |
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2027-08-05 | Active | Dalton LaBoskey | Lab 1 | correct ACI expiration date. |
| CT 533 Ball Penetration - PCC | 2022-02-18 | Expired | Shaya Meisamifard | Lab 1 | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2027-08-05 | Active | Dalton LaBoskey | Lab 1 | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2027-08-05 | Active | Dalton LaBoskey | Lab 1 | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2027-08-05 | Active | Dalton LaBoskey | (No lab) | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2027-08-05 | Active | Dalton LaBoskey | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---------------------------------------|-----------------|--------|-----------------|---------------------|---------------|
| CT 557 Temperature - PCC (JTCP - PCC) | 2027-08-05 | Active | Dalton LaBoskey | Lab 1 | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |

Unofficial Copy