

## Certificates for Steven Crumb

### Basic Information

<b>First Name</b>	Steven
<b>Last Name</b>	Crumb
<b>Status</b>	Active

### Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
G3 Quality, Incorporated	Matthew Ramos	13850 Cerritos Corporate Drive, Unit E, Cerritos, CA 90703	7	Lab 1
G3 Quality, Incorporated - Redlands Laboratory	Matthew Ramos	25837 Business Center Drive, Suite F, Redlands, CA 92374	8	Lab 2

### Test Methods

## California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-03-19	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-03-19	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-07-02	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-03-19	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-03-19	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 204 LL, PL, PI	2024-05-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-03-19	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2024-05-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2024-05-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 211 LA Rattler	2024-05-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-03-19	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-03-19	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-03-19	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-03-19	Expired	Ashley Shaw	Lab 1, Lab 2	Opt-out of 227 CSP. TL-0107 on file
CT 229 Durability (JTCP - S&A)	2024-03-19	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2024-05-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 235 Flat and Elongated Particles	2024-05-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-07-02	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-05-06	Expired	Chad Claxton	Lab 1, Lab 2	Created based on CT521 certificate ID48084
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-05-06	Expired	Chad Claxton	Lab 1, Lab 2	Created based on CT521 certificate ID48084
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2022-05-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-05-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2024-05-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 643 Resistivity and pH Measurements	2024-05-06	Expired	Ashley Shaw	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total **19** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-07-02	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-07-02	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-07-02	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-07-02	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2024-05-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2024-05-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
AASHTO T96 L.A. Rattler	2024-05-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-10-24	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-07-02	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-10-24	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-07-02	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-10-24	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-10-24	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2024-05-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-10-24	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-07-02	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-07-02	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
ASTM D4791 Flat and Elongated Particles	2024-05-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)

Unofficial Copy