

Certificates for Stephen Yturalde

Basic Information

First Name	Stephen
Last Name	Yturalde
Status	Active

Associated Labs

Total 7 items.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group - Main Laboratory	Thomas Junker	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 1
RMA Group - PCC #7	Steve Pitzer	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 2
RMA Group - PCC #1	Slawek Dymerski	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 3
RMA Group - PCC#2	Slawek Dymerski	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 4
RMA Group	Slawek Dymerski	10671 Jeffrey Road, Irvine, CA 92602	12	Lab 5
RMA Mobile Laboratory #11	Ray Alcantara	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 6
RMA Mobile Laboratory #12	Steve Pitzer	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 7

Test Methods

California Test (CT) Certifications

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	deleted due to SIAD not allowing it to be updated correctly - supposed to expire on 2-17-19
CT 106 Definitions - Specific Gravity (SpG)	2019-02-17	Expired	Robby Rodriguez	Lab 1, Lab 6, Lab 7	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-02-17	Expired	Robert Achuela	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	deleted due to SIAD not allowing it to be updated correctly - supposed to expire on 2-17-19
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2025-10-18	Active	Rabiul Hyder	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2025-10-18	Active	Rabiul Hyder	Lab 1	(No comments)
CT 211 LA Rattler	2025-10-18	Active	Rabiul Hyder	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 6, Lab 7	(No comments)
CT 229 Durability (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1	(No comments)
CT 301 "R" Value	2024-12-01	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 366 Stabilometer	2025-10-18	Active	Rabiul Hyder	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 5 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2026-11-29	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2026-11-29	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2026-11-29	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2026-11-29	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2026-11-29	Active	Firooz Ahmad Hosainy	Lab 1, Lab 5	(No comments)