

Certificates for MD Shahjahan

Basic Information

First Name	MD
Last Name	Shahjahan
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D07 - Moor Park Field Laboratory	John Dong	13950 Princeton Avenue, Moorpark, CA 93021	7	Lab 1
CT D07 - Saticoy Field Laboratory	John Dong	6029 Vineyard Avenue, Saticoy, CA 93036	7	Lab 2
CT D07 - Sun Valley Field Laboratory	John Dong	11401 Tuxford Street, Sun Valley, CA 91352	7	Lab 3

Test Methods

California Test (CT) Certifications

Total 42 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2019-02-10	Expired	Roberto Jarquin	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-02-10	Expired	Roberto Jarquin	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 CEM Sampling - CEM	2019-02-10	Expired	Roberto Jarquin	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 GEN Sampling - GENERAL	2019-02-10	Expired	Roberto Jarquin	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 204 LL, PL, PI	2017-02-13	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2017-02-13	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2017-02-13	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2017-02-13	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 209 SpG for Soil	2017-02-13	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 211 LA Rattler	2017-02-13	Expired	Roberto Jarquin	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 212 Unit Weight of Aggregates	2017-02-13	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2017-02-13	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-04-29	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2017-02-13	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2017-02-13	Expired	Roberto Jarquin	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 301 "R" Value	2018-02-13	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2018-02-13	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-02-13	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-02-13	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2018-02-13	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-02-13	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2017-02-24	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2017-02-24	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2017-02-24	Expired	Robby Rodriguez	(No lab)	Created based on CT521 certificate ID28952

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2017-02-24	Expired	Robby Rodriguez	(No lab)	Created based on CT521 certificate ID28952
CT 533 Ball Penetration - PCC	2017-02-24	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2017-02-24	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2017-02-24	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2017-02-24	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2017-02-24	Expired	Robby Rodriguez	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 3	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2017-10-26	Expired	Dave Franceschelli	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2017-10-26	Expired	Dave Franceschelli	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2017-10-26	Expired	Dave Franceschelli	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T304 Uncompacted Void - Fine Aggregate	2017-10-26	Expired	Dave Franceschelli	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	(No lab)	(No comments)

Unofficial Copy