

## Certificates for Bryan Dorsch

### Basic Information

<b>First Name</b>	Bryan
<b>Last Name</b>	Dorsch
<b>Status</b>	Active

### Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Twining Laboratories of So. Calif.	Corey Rhodes	3310 Airport Way, Long Beach, CA 90806	7	Lab 1
Twining Laboratories of So. Calif.	Sammy Daghighi	111 North Main Street Unit A, Riverside, CA 92501	8	Lab 2
Twining Inc – Long Beach, Mobile Lab 3	Corey Rhodes	3310 Airport Way, Long Beach, CA 90806	7	Lab 3

### Test Methods

### California Test (CT) Certifications

Total 29 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-03-05	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 2	Date adjusted to make a three year Cert
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-03-05	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 3	Date adjusted to make a three year Cert
CT 125 BIT Sampling - BITUMINOUS	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 2	Date adjusted to make a three year Cert
CT 125 CEM Sampling - CEM	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 2	Date adjusted to make a three year Cert
CT 125 GEN Sampling - GENERAL	2025-07-12	Active	Ashley Shaw	Lab 1, Lab 2, Lab 3	Date adjusted to make a three year Cert
CT 125 HMA Sampling - HMA	2025-07-12	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-03-05	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-03-05	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-03-05	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-03-05	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-03-05	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-03-05	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-03-05	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2024-03-05	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-07-09	Expired	Brandt Houchen	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-03-12	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-03-12	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 521 Compressive Strength - PCC	2022-09-22	Active	Brandt Houchen	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-03-12	Active	Ashley Shaw	Lab 1, Lab 2	Date adjusted to reflect expiration of other ACI tests IA 68
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-09-22	Active	Brandt Houchen	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-06-09	Expired	Brandt Houchen	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2022-09-22	Active	Brandt Houchen	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-03-12	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-03-12	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-03-12	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-03-12	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-03-12	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					