

## Certificates for Vincent Batcheller

### Basic Information

<b>First Name</b>	Vincent
<b>Last Name</b>	Batcheller
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-05-24	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Vincent Onoh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-05-24	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-05-24	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-05-24	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-05-24	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-06-24	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-06-24	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-05-24	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-05-24	Expired	Shaya Meisamifard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-05-24	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-05-24	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2022-05-24	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2020-05-08	Expired	Vincent Onoh	(No lab)	(No comments)
CT 366 Stabilometer	2020-05-08	Expired	Vincent Onoh	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2021-06-24	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-11-24	Expired	Robby Rodriguez	(No lab)	Created based on CT521 certificate ID29978
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-11-24	Expired	Robby Rodriguez	(No lab)	Created based on CT521 certificate ID29978
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-05-08	Expired	Vincent Onoh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-11-24	Expired	Rabiul Hyder	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-11-24	Expired	Rabiul Hyder	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-03-24	Expired	Robby Rodriguez	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 5 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-09-26	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-09-26	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-09-26	Expired	Shaya Meisamifard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-09-26	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-09-26	Expired	Shaya Meisamifard	(No lab)	(No comments)

Unofficial Copy