

Certificates for Jerry Bland

Basic Information

First Name	Jerry
Last Name	Bland
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **30** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Terry Chapman	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Terry Chapman	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Terry Chapman	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 204 LL, PL, PI	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 211 LA Rattler	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 235 Flat and Elongated Particles	2017-10-01	Expired	Terry Chapman	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2017-10-01	Expired	Ashley Shaw	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2017-10-01	Expired	Ashley Shaw	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2017-10-01	Expired	Ashley Shaw	(No lab)	(No comments)
CT 366 Stabilometer	2017-10-01	Expired	Ashley Shaw	(No lab)	(No comments)
CT 367 OBC	2017-10-01	Expired	Ashley Shaw	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2017-10-01	Expired	Ashley Shaw	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2017-10-01	Expired	Ashley Shaw	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2017-10-01	Expired	Ashley Shaw	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)
ASTM D4791 Flat and Elongated Particles	2017-09-21	Expired	Ashley Shaw	(No lab)	(No comments)