

Certificates for Michael Percy

Basic Information

First Name	Michael
Last Name	Percy
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 27 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-02-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-02-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 211 LA Rattler	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2017-02-12	Expired	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2017-02-12	Expired	Daniel Stewart	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2017-02-12	Expired	Daniel Stewart	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2017-02-12	Expired	Daniel Stewart	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2017-02-12	Expired	Daniel Stewart	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2017-02-12	Expired	Daniel Stewart	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **19** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2017-06-23	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2017-06-23	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2017-06-23	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2017-06-23	Expired	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2017-06-23	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2017-06-23	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2017-06-23	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2017-06-23	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2017-06-23	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2017-06-23	Expired	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)

Unofficial Copy