

## Certificates for Joseph Ataei

### Basic Information

<b>First Name</b>	Joseph
<b>Last Name</b>	Ataei
<b>Status</b>	Inactive

### Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
S2 Engineering	Sagar Pandey	3639 San Gabriel River Parkway, Pico Rivera, CA 90660	7	Lab 1
S2 Engineering Inc.	Subramony Krishnamoorthy	27075 Cabot Road, Suite 117, Laguna Hills, CA 91730	12	Lab 2
S2 Engineering	Sagar Pandey	1145 Industrial Ave., Escondido, CA 90209	11	Lab 3

### Test Methods

## California Test (CT) Certifications

Total 18 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Chad Claxton	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2018-08-21	Expired	Chad Claxton	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-07-19	Expired	Shaya Meisamifard	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-08-21	Expired	Chad Claxton	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 CEM Sampling - CEM	2018-08-21	Expired	Chad Claxton	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 GEN Sampling - GENERAL	2018-08-21	Expired	Chad Claxton	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-08-21	Expired	Chad Claxton	Lab 1, Lab 2, Lab 3	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Chad Claxton	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-07-19	Expired	Shaya Meisamifard	Lab 1, Lab 2, Lab 3	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-07-19	Expired	Shaya Meisamifard	Lab 3	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-07-19	Expired	Shaya Meisamifard	Lab 1, Lab 2, Lab 3	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-07-19	Expired	Rabiul Hyder	Lab 1, Lab 2, Lab 3	Did no participate in the 2021 CT217(CSP)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-07-19	Expired	Shaya Meisamifard	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-07-19	Expired	Shaya Meisamifard	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2022-07-19	Expired	Shaya Meisamifard	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2018-08-21	Expired	Chad Claxton	Lab 1, Lab 2, Lab 3	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-03-28	Expired	Chad Claxton	Lab 1, Lab 2, Lab 3	(No comments)
CT 309 Max SpG and Density - HMA	2019-03-28	Expired	Chad Claxton	Lab 1, Lab 2, Lab 3	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					