

Certificates for Ahmad Alzubi

Basic Information

First Name	Ahmad
Last Name	Alzubi
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 25 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Vincent Onoh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2019-12-06	Expired	Vincent Onoh	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-12-06	Expired	Vincent Onoh	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2019-12-06	Expired	Vincent Onoh	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-12-06	Expired	Vincent Onoh	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-12-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-12-06	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-12-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-12-06	Suspended	Rabiul Hyder	(No lab)	Did not participate in the 2021 CT217(CSP)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-12-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-12-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-12-06	Expired	Vincent Onoh	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-09-18	Expired	Vincent Onoh	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2019-09-18	Expired	Vincent Onoh	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-12-02	Expired	Vincent Onoh	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-12-02	Expired	Vincent Onoh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-11-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-11-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2021-11-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2021-11-12	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-12-02	Expired	Vincent Onoh	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-12-02	Expired	Vincent Onoh	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2021-05-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-05-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)