

Certificates for Dzung Tran

Basic Information

First Name	Dzung
Last Name	Tran
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2020-01-06	Expired	Vincent Onoh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-01-06	Expired	Vincent Onoh	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2020-01-06	Expired	Vincent Onoh	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2020-01-06	Expired	Vincent Onoh	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-01-14	Expired	Vincent Onoh	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-01-14	Expired	Vincent Onoh	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2020-01-06	Expired	Vincent Onoh	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2020-01-14	Expired	Vincent Onoh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-01-14	Expired	Vincent Onoh	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2020-01-14	Expired	Vincent Onoh	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-01-06	Expired	Vincent Onoh	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-06-30	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-06-30	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-12-02	Expired	Vincent Onoh	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-12-02	Expired	Vincent Onoh	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-12-02	Expired	Vincent Onoh	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-12-02	Expired	Vincent Onoh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 524 Flexural Strength of Rapid Strength - PCC	2019-12-02	Expired	Vincent Onoh	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2019-12-02	Expired	Vincent Onoh	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-12-02	Expired	Vincent Onoh	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-12-02	Expired	Vincent Onoh	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2021-06-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-06-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)