

Certificates for Elias Hamel

Basic Information

First Name	Elias
Last Name	Hamel
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Southern Regional Laboratory	Ron Longazo	13970 Victoria St, Fontana, CA 92336	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 27 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-06-01	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-06-01	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2018-06-01	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2018-06-01	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-06-01	Expired	Vincent Onoh	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-06-01	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2018-06-01	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-10-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-10-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-10-19	Expired	Vincent Onoh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-10-19	Expired	Vincent Onoh	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2019-10-19	Expired	Vincent Onoh	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2019-10-19	Expired	Vincent Onoh	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-10-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-10-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-10-11	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-10-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-10-11	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **15** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2023-11-19	Active	Zuri Abajian	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-11-19	Active	Zuri Abajian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-11-19	Active	Zuri Abajian	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2023-11-19	Active	Zuri Abajian	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2024-01-13	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-11-19	Active	Zuri Abajian	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2024-01-13	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2024-01-13	Active	Shaya Meisamifard	Lab 1	(No comments)