

## Certificates for Idris Najjar

### Basic Information

<b>First Name</b>	Idris
<b>Last Name</b>	Najjar
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Caltrans Fontana Field Construction Lab, District 8	Prakash Gowda	13970 Victoria St, Fontana, CA 92336	8	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 20 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-06-30	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-06-30	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2018-06-30	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2020-07-25	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-12-04	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2023-12-04	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2023-12-04	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2023-12-04	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-11-09	Expired	Vincent Onoh	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-10-26	Expired	Vincent Onoh	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2017-10-14	Expired	Vincent Onoh	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-10-26	Expired	Vincent Onoh	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-10-26	Expired	Vincent Onoh	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2019-10-26	Expired	Vincent Onoh	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2019-10-26	Expired	Vincent Onoh	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-10-26	Expired	Vincent Onoh	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-10-26	Expired	Vincent Onoh	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total **10** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1	Passed T27 Robby Proctor the Exam
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-01-28	Incomplete	Soroosh Amelian	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2021-08-09	Expired	Richard Hibbard	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2014-01-07	Expired	Terry Chapman	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-08-09	Expired	Richard Hibbard	Lab 1	(No comments)

Unofficial Copy