

Certificates for Babak Rezaei

Basic Information

First Name	Babak
Last Name	Rezaei
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Southern Regional Laboratory	Ron Longazo	13970 Victoria St, Fontana, CA 92336	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 18 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-05-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Vincent Onoh	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-05-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Vincent Onoh	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2017-12-11	Expired	Vincent Onoh	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2016-12-10	Expired	Vincent Onoh	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2016-12-10	Expired	Vincent Onoh	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2016-12-10	Expired	Vincent Onoh	Lab 1	(No comments)
CT 211 LA Rattler	2016-12-10	Expired	Vincent Onoh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2017-12-11	Expired	Vincent Onoh	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2017-12-11	Expired	Vincent Onoh	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2017-12-11	Expired	Vincent Onoh	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2016-12-10	Expired	Vincent Onoh	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2017-12-01	Expired	Vincent Onoh	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2017-12-01	Expired	Vincent Onoh	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2017-12-01	Expired	Vincent Onoh	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2017-12-01	Expired	Vincent Onoh	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Unofficial Copy