

Certificates for Friday Ofoegbu

Basic Information

First Name	Friday
Last Name	Ofoegbu
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Southern Regional Laboratory	Ron Longazo	13970 Victoria St, Fontana, CA 92336	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 32 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-05-18	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2021-03-11	Expired	Shaya Meisamifard	Lab 1	ia 74
CT 125 ADMIX Sampling - ADMIXTURE	2021-03-13	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-05-18	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-03-13	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2021-03-13	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2021-03-13	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-03-13	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-05-18	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-05-18	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 204 LL, PL, PI	2021-05-07	Expired	Vincent Onoh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-05-18	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-02-28	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2024-02-28	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 211 LA Rattler	2024-02-28	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 214 Sodium Sulfate Soundness	2024-02-28	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-05-18	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-05-18	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-05-18	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-05-18	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2024-05-18	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 342 Portable Skid Tester	2021-02-01	Expired	Vincent Onoh	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-04-27	Active	Richard Hibbard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-04-27	Active	Richard Hibbard	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2021-05-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 531 Core Length - PCC	2019-02-28	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-04-27	Active	Richard Hibbard	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-04-27	Active	Richard Hibbard	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-04-27	Active	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-04-27	Active	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2023-04-27	Active	Richard Hibbard	Lab 1	(No comments)
CT 643 Resistivity and pH Measurements	2021-05-07	Expired	Vincent Onoh	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2016-04-17	Expired	Terry Chapman	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2016-04-17	Expired	Terry Chapman	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2016-04-17	Expired	Terry Chapman	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2016-04-17	Expired	Terry Chapman	Lab 1	(No comments)