

Certificates for Jose Mendez

Basic Information

First Name	Jose
Last Name	Mendez
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D08 - Fontana Southern Regional Laboratory	Ron Longazo	13970 Victoria Street, Fontana, CA 92336	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 36 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2019-07-24	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-07-24	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2019-07-24	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2019-07-24	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-07-19	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-07-19	Expired	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-07-19	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-05-19	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 214 Sodium Sulfate Soundness	2019-02-03	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-07-19	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-07-19	Expired	Rabiul Hyder	Lab 1	Did not participate in the 2021 CT217(CSP)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-07-19	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-07-19	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2022-07-19	Expired	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2019-07-10	Expired	Vincent Onoh	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-07-10	Expired	Vincent Onoh	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2019-07-10	Expired	Vincent Onoh	Lab 1	(No comments)
CT 342 Portable Skid Tester	2025-01-31	Active	Rabiul Hyder	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2017-06-18	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-10-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-10-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-06-25	Expired	Roberto Jarquin	(No lab)	Created based on CT521 certificate ID28316
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-06-25	Expired	Roberto Jarquin	(No lab)	Created based on CT521 certificate ID28316

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2024-10-11	Active	Robby Rodriguez	Lab 1	Matched ACI FG1 expiration. IA 74
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-09-12	Expired	Vincent Onoh	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2019-06-05	Expired	Ayman Nabulsi	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2020-09-12	Expired	Vincent Onoh	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-10-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-10-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-10-11	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-10-11	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-10-11	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-08-29	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-08-29	Expired	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-08-29	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-08-29	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-08-29	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-06-21	Expired	Shaya Meisamifard	Lab 1	(No comments)