

Certificates for Nader Rashidi

Basic Information

First Name	Nader
Last Name	Rashidi
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **37** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-05-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Dave Franceschelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-04-09	Expired	Dave Franceschelli	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-05-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-04-09	Expired	Dave Franceschelli	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2017-04-09	Expired	Dave Franceschelli	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-04-09	Expired	Dave Franceschelli	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-05-25	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-05-25	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 204 LL, PL, PI	2017-03-23	Expired	Dave Franceschelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-05-25	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2016-07-06	Expired	Dave Franceschelli	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2016-07-06	Expired	Dave Franceschelli	(No lab)	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2016-07-06	Expired	Dave Franceschelli	(No lab)	(No comments)
CT 209 SpG for Soil	2016-05-13	Expired	Dave Franceschelli	(No lab)	(No comments)
CT 211 LA Rattler	2017-03-23	Expired	Dave Franceschelli	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2017-04-11	Expired	Dave Franceschelli	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2017-04-11	Expired	Dave Franceschelli	(No lab)	(No comments)
CT 214 Sodium Sulfate Soundness	2020-03-07	Expired	Vincent Onoh	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-05-25	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2021-05-25	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-05-25	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-05-25	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2021-05-25	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2017-03-23	Expired	Dave Franceschelli	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2017-03-23	Expired	Dave Franceschelli	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-03-27	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-03-27	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-03-27	Expired	Roberto Jarquin	(No lab)	Created based on CT521 certificate ID29204

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-03-27	Expired	Roberto Jarquin	(No lab)	Created based on CT521 certificate ID29204
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2018-03-27	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2018-03-27	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-03-27	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-03-27	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-03-27	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-03-27	Expired	Roberto Jarquin	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **9** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-05-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)