

Certificates for Vincent Onoh

Basic Information

First Name	Vincent
Last Name	Onoh
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Southern Regional Laboratory	Ron Longazo	13970 Victoria St, Fontana, CA 92336	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 26 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Roberto Jarquin	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2018-03-19	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-03-19	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2018-03-19	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2018-03-19	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2023-03-06	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2023-03-06	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2017-10-21	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2017-10-21	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 209 SpG for Soil	2018-05-05	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 211 LA Rattler	2017-10-21	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 214 Sodium Sulfate Soundness	2019-02-01	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2023-03-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2023-03-06	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2023-03-06	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2023-03-06	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2023-03-06	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 234 Uncompacted void - Fine Aggregates	2017-12-22	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2017-12-22	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 301 "R" Value	2018-05-30	Expired	Roberto Jarquin	Lab 1	(No comments)
CT 368 OBC of OGAC	2022-10-27	Active	Rabiul Hyder	Lab 1	(No comments)
CT 643 Resistivity and pH Measurements	2017-05-05	Expired	Roberto Jarquin	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2018-05-15	Expired	Ayman Nabulsi	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2018-05-15	Expired	Ayman Nabulsi	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2018-05-15	Expired	Ayman Nabulsi	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2023-01-30	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-01-30	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-01-30	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2023-01-30	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2022-07-27	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2018-05-15	Expired	Ayman Nabulsi	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-01-30	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2023-09-21	Active	Rabiul Hyder	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2023-09-21	Active	Rabiul Hyder	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2016-04-17	Expired	Terry Chapman	Lab 1	(No comments)